

All-terrain

Multifunctional micro cultivator

ditching

Loose soil

weeding

Rotary tillage



Diesel Mini Tiller



Technical Parameter

Model	1050A
Engine Model	178F/FE Diesel Engine
MAX Power	7HP
Engine Type	single cylinder, 4-stroke, air-cooled, OHV
Clutch	Wet Friction Plate
Clutch Type	Double Clutch with Headlights
Transmission	Gear Driving
Fuel Tank Capacity (L)	3.6L
Oil Capacity	1.5L (Gear Box) / 0.6L (Engine)
Wheel Size	400-8Wheel
Blades	(4pcs, 4groups) 32pcs
Starting System	Recoil Start (Hand Start)
Tilling Width (mm)	1050-1350
Tilling Depth (mm)	160-320
Gear Shifting	-1,2,0,1
Productivity (hm ² /h)	≥ 0.04
Bore X Stroke (mm)	70 X 55
Fuel Consumption (g/kw.h)	≤ 395
Packing Size (L*W*H)	990 X 570 X 780
Net Weight (KG)	145
Gross Weight (KG)	160
Certificate	CE/EU V

Diesel Mini Tiller



Technical Parameter

Model	1050A
Engine Model	178F/FE Diesel Engine
MAX Power	7HP
Engine Type	single cylinder, 4-stroke, air-cooled, OHV
Clutch	Wet Friction Plate
Clutch Type	Single Clutch
Transmission	Gear Driving
Fuel Tank Capacity (L)	3.6L
Oil Capacity	1.5L (Gear Box) / 0.6L (Engine)
Wheel Size	400-8Wheel
Blades	(4pcs, 4groups) 32pcs
Starting System	Recoil Start (Hand Start)
Tilling Width (mm)	1050-1350
Tilling Depth (mm)	160-320
Gear Shifting	-1,2,0,1
Productivity (hm ² /h)	≥ 0.04
Bore X Stroke (mm)	70 X 55
Fuel Consumption (g/kw.h)	≤ 395
Packing Size (L*W*H)	990 X 570 X 780
Net Weight (KG)	145
Gross Weight (KG)	160
Certificate	CE/EU V

Diesel Mini Tiller



Technical Parameter

Model	950B
Engine Model	173F/FE Diesel Engine
MAX Power	5.5HP
Engine Type	single cylinder, 4-stroke, air-cooled, OHV
Clutch	Wet Friction Plate
Clutch Type	Single Clutch
Transmission	Gear Driving
Fuel Tank Capacity (L)	3.6L
Oil Capacity	1.5L (Gear Box) / 0.6L (Engine)
Wheel Size	400-8Wheel
Blades	(4pcs, 4groups) 32pcs
Starting System	Recoil Start (Hand Start)
Tilling Width (mm)	750-950
Tilling Depth (mm)	180-300
Gear Shifting	-1,2,0,1
Productivity (hm ² /h)	≥ 0.04
Bore X Stroke (mm)	68 X 54
Fuel Consumption (g/kw.h)	≤ 395
Packing Size (L*W*H)	845 X 455 X 660
Net Weight (KG)	103
Gross Weight (KG)	110
Certificate	CE/EU V

Petrol Mini Tiller



Technical Parameter

Model	950A
Engine Model	168F Gasoline Engine
MAX Power	7HP
Engine Type	single cylinder, 4-stroke, air-cooled, OHV
Clutch	Wet Friction Plate
Clutch Type	Single Clutch
Transmission	Gear Driving
Fuel Tank Capacity (L)	3.6L
Oil Capacity	1.5L (Gear Box) / 0.6L (Engine)
Wheel Size	400-8Wheel
Blades	(4pcs, 4groups) 32pcs
Starting System	Recoil Start (Hand Start)
Tilling Width (mm)	800-1100
Tilling Depth (mm)	180-300
Gear Shifting	-1,2,0,1
Productivity (hm ² /h)	≥ 0.04
Bore X Stroke (mm)	68 X 54
Fuel Consumption (g/kw.h)	≤ 395
Packing Size (L*W*H)	840 X 440 X 660
Net Weight (KG)	90
Gross Weight (KG)	100
Certificate	CE/EU V

Original brand engine


Full power will not crash

Efficiency upgrade



All gear transmission

Super drive, energy saving and durable



Strong stability, assured and reliable

HIGH-HORSEPOWER ENGINE

CHONGQING JOYLONG MACHINERY CO., LTD., CHINA

High quality cutter



Normal cutter
Thickness:4.5mm



Thickening cutter
Thickness: 6.0mm

Matching tool

12 types of cutting tools can be used with multiple function

1 Dryland knife



Used to loosen soil in dry land

2 Anti-entanglement knife




Keep weeds from getting tangled in the knife

3 Deep ploughing knife



Used for hard soil work

4 Ground harrow



Used for dry paddy field flat field planting

5 Paddy wheel



Effective soil tillage in paddy field

6 spiral



Use with ridge lifter after ploughing

7 Crawl board



Use with paddy wheel to increase the power of land and improve efficiency

8 Anti-skid wheel



Use with bow-shaped pear or ditcher to provide better power output

9 Ditcher



Used for ditching fields that have been tilled

10 Single-side tillage



For farmland and paddy field use

11 Ridger



Ridging of fields that have been tilled

12



Usage scenario

It can be used on a variety of terrains



greenhouses



Sloping land



Paddy field



forest



Mountainous area



Vegetable garden